

# Atropine Treatment for Amblyopia (Lazy Eye)

## Patient Information

Orthoptic Department

Author ID: AJM  
Leaflet Number: Orth 003  
Version: 8  
Name of Leaflet: Atropine Treatment for Amblyopia  
Date Produced: Jul 2018  
Review Date: Jul 2020

## Benefits of the treatment

The aim of the treatment is to try and improve the vision in your child's lazy eye. Your child has been given atropine eye drops to treat a lazy eye. Atropine is inserted into the good eye only. This enlarges the pupil and blurs the vision encouraging the use of the lazy eye.

If your child wears glasses these may be changed to enhance the effect of the treatment. A new pair of glasses will be prescribed and should be worn full time. The original glasses need to be kept for when atropine treatment is stopped. Please bring both pairs of glasses with you to every appointment.

## Instructions

1. Wash your hands before and after using the atropine.
2. Insert one drop into the ..... eye, as prescribed, until your next appointment. If you think that the drop missed the eye, it is safe to try again, however, two drops do not work better than one.
3. As the vision improves the use of the atropine may be changed under the instruction of the Ophthalmic team.
4. You will be seen regularly, whilst on treatment.

## Possible side effects

As with most medicines some side effects may occur:

- Itchy or swollen eyelids
- Red or watery eyes
- Dryness of skin/mouth
- Fever
- Flushing of face
- Restlessness
- Hyperactivity
- Irritability
- Vomiting
- Increased temperature
- Light sensitivity

If any of the above occurs, contact your Doctor or the Eye unit.

## Points to remember

- Store atropine in safe place out of the reach of children.
- Store at normal room temperature.
- Be careful not to get atropine into your own eye as it could blur your vision. Always wash your hands before and after you insert the drops.
- The atropine has been prescribed for your child and should not be given to any other person.
- Inform your child's school about the use of the drops and the dilated pupil.
- If you miss an appointment phone for another appointment as soon as possible.
- **Please ensure that any doctor or dentist treating your child is aware that atropine is being used.**

## If you wish to speak to someone by phone please contact the Orthoptic Department

Wigan Health Centre  
Telephone No. 01942 822310

Outpatient Department, Leigh Infirmary  
Telephone No. 01942 264095

Urgent Referral Clinic, Wigan Health Centre  
Telephone No. 01942 773271

---

## Comments, Compliments or Complaints

The Patient Relations/Patient Advice and Liaison Service (PALS) Department provides confidential on the spot advice, information and support to patients, relatives, friends and carers.

## Contact Us

Tel: 01942 822376 (Monday to Friday 9am to 4pm)

The Patient Relations/PALS Manager  
Wrightington, Wigan and Leigh NHS Foundation Trust  
Royal Albert Edward Infirmary  
Wigan Lane  
Wigan WN1 2NN

---

## Ask 3 Questions

Become more involved in decisions about your healthcare. You may be asked to make choices about your treatment. To begin with, try to make sure you get the answers to three key questions:

1. What are my options?
2. What are the pros and cons of each option for me?
3. How do I get support to help me make a decision that is right for me?



---

## How We Use Your Personal Information

For details on how we collect, use and store the information we hold about you, please take a look at our “how we use your personal information” leaflet which can be found on the Trust website: [www.wwl.nhs.uk/patient\\_information/Leaflets/default.aspx](http://www.wwl.nhs.uk/patient_information/Leaflets/default.aspx)

---

This leaflet is also available in audio, large print, braille and other languages upon request. For more information please ask in department/ward.

---

© Wrightington, Wigan and Leigh NHS Foundation Trust  
All rights reserved. Not to be reproduced in whole or in part without the permission of the copyright owner

